




BHTS ZZ 350° Beco Plus (6200 Serie)

Ball Bearings for Extreme Temperature



OPERATING RANGE: $-10^{\circ} / 350^{\circ}\text{C}$

ECONOMIC OPERATING RANGE: $250^{\circ} / 350^{\circ}\text{C}$

Designation	Bore (B)	Diam (D)	Width (W)	Weight, g	Limiting Speed, RPM	Static Load, kN at 350°C	Static Load, kN at 20°C
6200 BHTS ZZ 350° Beco Plus	10	30	9	30	524	1,79	2,60
6201 BHTS ZZ 350° Beco Plus	12	32	10	37	484	2,14	3,10
6202 BHTS ZZ 350° Beco Plus	15	35	11	45	360	2,59	3,75
6203 BHTS ZZ 350° Beco Plus	17	40	12	65	350	3,28	4,75
6204 BHTS ZZ 350° Beco Plus	20	47	14	110	300	4,52	6,55
6205 BHTS ZZ 350° Beco Plus	25	52	15	130	280	5,52	8,00
6206 BHTS ZZ 350° Beco Plus	30	62	16	200	220	7,72	11,2
6207 BHTS ZZ 350° Beco Plus	35	72	17	290	200	10,55	15,3
6208 BHTS ZZ 350° Beco Plus	40	80	18	370	170	12,41	18,0
6209 BHTS ZZ 350° Beco Plus	45	85	19	410	160	14,06	20,4
6210 BHTS ZZ 350° Beco Plus	50	90	20	460	150	16,55	24,0
6211 BHTS ZZ 350° Beco Plus	55	100	21	610	134	20,00	29,0
6212 BHTS ZZ 350° Beco Plus	60	110	22	780	120	24,83	36,0
6213 BHTS ZZ 350° Beco Plus	65	120	23	990	106	28,62	41,5
6214 BHTS ZZ 350° Beco Plus	70	125	24	1040	100	30,35	44,0
6215 BHTS ZZ 350° Beco Plus	75	130	25	1210	100	33,79	49,0

OPERATING RANGE is the correct technical range in which can be used the bearing with good operating result.

ECONOMIC OPERATING RANGE is the range of temperature in which you can find, according to our study experience and know-how, the better relation price-quality-lifetime.