



Product name

## Counterstay

For use with series 21 and series 21-E. Series 22-1-AS only for 22-1 and 22-2.

Art. No. 22-3

Series 22

EAN 4021176012488



	Technical attribute	Metric	Imperial
	Spread counter support	180 mm	
	Counterstay reach	280 mm	
	Support surface	20 x 22 mm	
max.	Maximum load	5 t	5.5 US t
	Weight	4 kg	




has to be accomplished with




**Internal extractor**

21-6



**Internal extractor**

21-7



**Internal extractor**

21-8



**Internal extractor**

21-9

## Technologies



### **EASY SCREW**

The built-in thrust bearing facilitates rotation through reduced frictional resistance.



### **LIGHT SHIFT**

Free-moving, self-retaining jaws with internal spring washer.



## Spare part

<b>Art. No.</b>	<b>Product name</b>
22-3-T	Cross-beam
022-306	Spindle
22-3-1-P	Pair of spare hooks with fixing material

## Accessories

<b>Art. No.</b>	<b>Product name</b>
22-3-1-P	Pair of spare hooks with fixing material

## Goes with

<b>Art. No.</b>	<b>Product name</b>
21-6	Internal extractor
21-7	Internal extractor
21-8	Internal extractor
21-9	Internal extractor